MARYLAND HISTORICAL TRUST

INVENTORY FORM FOR STATE HISTORIC SITES SURVEY

1 NAME	100000000000000000000000000000000000000		200000000000000000000000000000000000000		
HISTORIC					
MALE GRAMMA AND/OR COMMON	R AND PRIMARY SCHO	OOL No. 1			
Poe School					
2 LOCATION					
STREET & NUMBER					
520 West Fa	yette Street		===		
CITY, TOWN			CONGRESSIONAL DISTR	HCT	
Baltimore STATE		VICINITY OF		COUNTY	
Maryland				more City	
3 CLASSIFIC	ATION	2000 C 20			
CATEGORY	OWNERSHIP	STATUS	PRES	ENT USE	
DISTRICT	X_PUBLIC	XOCCUPIED	AGRICULTURE	_MUSEUM	
X_BUILDING(S)	PRIVATE	UNOCCUPIED	COMMERCIAL	PARK	
STRUCTURE	_вотн	WORK IN PROGRESS	X_EDUCATIONAL	PRIVATE RESIDENCE	
SITE	PUBLIC ACQUISITION	ACCESSIBLE	ENTERTAINMENT	RELIGIOUS	
OBJECT	IN PROCESS	X.YES: RESTRICTED	GOVERNMENT	SCIENTIFIC	
	BEING CONSIDERED	YES: UNRESTRICTED	INDUSTRIAL MILITARY	TRANSPORTATION	
4 OWNER OF	FPROPERTY				
NAME					
State of Ma STREET & NUMBER	ryland/University	of Maryland	Telephone #8:53-	3683	
Office of U	niversity Planning				
CITY, TOWN	187 23 2	VICINITY OF		ip code	
College Par		VICINITY OF	Maryl	and 20742	
5 LOCATION	OF LEGAL DESCR	IPTION	Liber #: ED 92		
COURTHOUSE,			Folio #: 453		
REGISTRY OF DEEDS, I	Baltimore City	Courthouse			
STREET & NUMBER					
Flayette and	Calvert Streets		STATE		
Baltimore		Marvland			
	TATION IN EXIST	NC SLIDVEVS		<u> </u>	
	IAHON IN EAIST	ING SURVEIS			
TITLE					
DATE		Control of the contro			
		FEDERAL	_STATE _COUNTY _LOCAL		
DEPOSITORY FOR				-	
SURVEY RECORDS					
CITY, TOWN			STATE		
					

CONDITION

CHECK ONE

CHECK ONE

_EXCELLENT X GOOD

__DETERIORATED

_ALTERED

X_ORIGINAL SITE

_FAIR

__RUINS __UNEXPOSED __MOVED DATE_

DESCRIBE THE PRESENT AND ORIGINAL (IF KNOWN) PHYSICAL APPEARANCE

Poe School, located at the northeast corner of West Fayette and North Greene Streets, is a three-story, red brick grammar school constructed by the City of Baltimore in 1880. Its main entrance occurs in the West Fayette Street facade but a similarly treated door also marks an entrance on North Greene Street.

The south facade is seven bays wide, five bays pertain to the main block; a three-story gable end wall resting on a rusticated stone basement and topped by a richly decorated pediment. The easternmost two bays of this composition belong to the connecting wall between the main block and the adjacent "tower", and the tower itself which is one-bay wide with a steeply pitched gable roof. At basement level, the south facade is punctuated by small square windows in positions corresponding to the other fenestration except for the entrance bay. The doorway is characterized by a bold and massive surround: projecting stone lintel (bearing the legend "Male Primary School No. 1") supported by stylized stone brackets and incised decoration on the flanking chamfered piers.

The first floor on the south facade contains five identical windows to west equally spaced across the main block and possessing a 9/9 double hung sash. This main block is divided vertically by the slight projection of the outer two bays and the middle bays. These three projecting elements are further emphasized by their respective resolutions in the large decorated pediment area of this gable wall; the two outer bays are crowned by smaller triangular pediments while the central bay continues its projection, featuring a section of roof breaking forward topped by a rectangular brick panel finally surmounted by a smaller triangular pediment. Three ventilator windows exist in the large pediment at the level of the brick panel.

The second story of the Fayette Street facade is fenestrated like the first: 9/9 double hung sash with segmental arched brick lintels and slightly projecting stone sills. A variation occurs at the level of the lintels where two corbelled courses of brickwork elaborate the end bays and the central window. The doorway is surmounted by a 9/9 double hung window with flat lintel; the tops of this window and the double-height arched window to the east in the tower occur between 1½ and 2 stories. This slightly projecting, easternmost bay also features corbelling at the springing of the arched lintel.

Between the second and third stories of the south facade of the main block is a stone beltcourse which becomes a continuous band with the sills of the third story fenestration. The third story windows are 9/9 double hung with lintels formed by the top course of two courses of corbelled brickwork which abut the base of the molded cornice. The boxed cornicated and its attendant multiple moldings beneath, project and recede in accordance with the facade below.

SPECIFIC DAT	ES 1880	BUILDER/ARCH	HITECT Arch: F.I	E. Davis	
		_INVENTION			
1900-	COMMUNICATIONS	INDUSTRY	_POLITICS/GOVERNMENT	_OTHER (SPECIFY)	
X_1800-1899	COMMERCE	_EXPLORATION/SETTLEMENT	PHILOSOPHY	_TRANSPORTATION	
1700-1799	ART	ENGINEERING	MUSIC	_THEATER	
_1600-1699	X ARCHITECTURE	X_EDUCATION	MILITARY	_SOCIAL/HUMANITARIAN	
_1500-1599	AGRICULTURE	ECONOMICS	LITERATURE	SCULPTURE	
_1400-1499	ARCHEOLOGY-HISTORIC	CONSERVATION	_LAW	SCIENCE	
PREHISTORIC	ARCHEOLOGY-PREHISTORIC	COMMUNITY PLANNING	_LANDSCAPE ARCHITECTURE	RELIGION	
PERIOD	AREAS OF SIGNIFICANCE CHECK AND JUSTIFY BELOW				

STATEMENT OF SIGNIFICANCE

Poe School, now owned by the University of Maryland and used provisionally as an adjunct facility for their law school, was constructed in 1880 to the designs of prominent local architect Francis E. Davis. It replaced an earlier school on the same location and functioned as a Male Grammar and Primary School. Its counterpart and visual complement, located diagonally across the street at the southwest corner of Fayette and Greene Streets, was the no longer extant Female Primary and Grammar School No. 1, built in 1875 in the Romanesque Revival style. (See drawing and plan attached.)

me Fifty-first Annual Report of the Board of Commissioners of Public Schools to the Mayor and City Council of Baltimore for the year ending December 31, 1879, notes that:

An appropriation of \$18,000 was made for a new house at the northeast corner of Fayette and Greene Streets, for Male Grammar and Primary Schools Number 1, and it will be finished during the summer and occupied at the opening of the schools in September. It will be commodious, well-lighted and ventilated and capable of seating 1,200 children. The yard is not sufficiently large for the number of pupils, but this deficiency will doubtless be soon supplied by the purchase of additional contiguous ground which can be had at a reasonable price.²

Fulfilling these predictions, the Board reports the following year that:

The new house for Male Grammar and Primary Schools No. 1, at the northeast corner of Fayette and Greene Streets, was completed during the year, and formally dedicated in October last.

It is commodious, well-lighted and ventilated, and has twenty-three class-rooms with sitting capacity for 1,000 pupils. It stands on the site of the old building, which was erected in 1832, and which for more than forty-eight years had been one of the most successful public schools in the city. Many of our most prominent citizens have been pupils in this school, and they well remember the old schoolmaster, so long identified with its former history, who had great faith in the frequent application of birch as a stimulus to mental culture.³

CONTINUE ON SEPARATE SHEET IF NECESSARY

9 MAJOR BIBLIOGRAPHICAL REFERENCES

See footnotes

CONTINUE ON SEPARATE SH	EET IF NECESSARY			
10 GEOGRAPHICAL DATA	* ness els			
ACREAGE OF NOMINATED PROPERTY		_		
VERBAL BOUNDARY DESCRIPTION				
TENER ESSENCE IN SECOND FOR				
		A 10 10 10 10 10 10 10 10 10 10 10 10 10		
100000000000000000000000000000000000000				
LIST ALL STATES AND COUNTIE	S FOR PROPERTIES OVERLAPPING STATE	E OR COUNTY BOUNDARIES		
STATE	COUNTY			
STATE	COUNTY			
11 FORM PREPARED BY				
NAME / TITLE				
Ellen K. Coxe, Historic	Sites Surveyor			
ORGANIZATION		DATE		
Maryland Historical Tru	st	December 1979		
STREET & NUMBER		TELEPHONE		
21 State Circle		269-2438		
CITY OR TOWN		STATE		
Annapolis		Maryland		

The Maryland Historic Sites Inventory was officially created by an Act of the Maryland Legislature, to be found in the Annotated Code of Maryland, Article 41, Section 181 KA, 1974 Supplement.

The Survey and Inventory are being prepared for information and record purposes only and do not constitute any infringement of individual property rights.

RETURN TO: Maryland Historical Trust
The Shaw House, 21 State Circle
Annapolis, Maryland 21401
(301) 267-1438

Poe School

The entrance bay on the south facade contains two narrow 1/1 double hung windows at 2½ story level. Its cornice occurs just above the lintels of these windows, approximately on line with the third story beltcourse of the main block. A single gable roofed dormer punctuates this bay at third story level. Three narrow 1/1 double hung windows pierce the tower beside their counterparts at 2½ story level. Above them, however, a narrow window extends from a height slightly above third story level through the cornice and midway into this narrow pediment.

The North Greene Street or west facade of Poe School, similarly detailed, is nine bays wide resting on the same rusticated stone foundation with stone watertable dividing basement from first story. Basement level windows occur in each bay except the doorway. The doorway is defined like its Fayette Street counterpart, with a projecting stone lintel (bearing the legend "Male Primary School No. 1") supported by stylized stone brackets and incised decoration on the flanking, chamfered piers.

The first story of the west facade contains eight of the same 9/9 double hung windows with segmental arched lintels and slightly projecting stone sills. Atop the doorway is a two-light window with wider, segmentally arched window which functions much like a transom.

The west facade's second story is punctuated by nine of the same windows as the first story. The slightly projecting entrance bay and the slightly rojecting southwest corner of the building to the south of the southernmost window are distinguished by two courses of corbelling at the level of the second story lintels as occurred on the south facade.

The same stone beltcourse blending with the sills of the third story windows wraps around the west facade. A variation here, however, consists of several courses of corbelling below that beltcourse creating a wall-buttress effect every two bays from the southwest corner of the building except between the entrance bay and its adjacent bay.

The nine third story windows on the west facade are 9/9 double hung with corbelled lintels as described on the south facade which abut the cornice, also continuous from the south facade.

The north gable wall is entirely brick and undifferentiated.

The Board's Report for 1880 contains information about Male Grammar and Primary School No. 1: the size of the lot is 92'x102'; the size of the building is 83'x86'; the annual ground rent is \$354.00; and the cost of the building, \$17,350. Similarly the Board catalogues the following facts for Female Grammar and Primary School: size of the lot, 77'x170'; size of the building, 62'x140'; the annual ground rent, \$1,094.75; and the cost of the building's construction, \$29,520.

After its first four months of operation, Male Grammar and Primary School listed 273 students paying tuition, 93 free students for a total of 366 pupils enrolled by November 20, 1880, with eight teachers.

The school Davis designed is embellished with a variety of decorative features employed in some of his other notable Baltimore buildings such as the nearby Pine Street Police Station. Additionally, Davis was the architect of the Orchard Street Church and the State Normal School as well as the Randallstown Police Station and a school in Ashland (Baltimore County).


Davis was a native Marylander, born in 1839 in Ellicott Mills, and himself a product of local public schools. After an apprenticeship in architecture, he practiced in Baltimore with his brother Henry. In the late nineteenth century and through the first decade of the 20th, Davis and his firm, rancis E. and Henry R. Davis, were responsible for many private homes in aryland and West Virginia and also several churches including the Methodist Church, South at Arlington, Maryland.


The Male Grammar and Primary School No. 1, later known as Poe School, is a fine, intact example of lively Victorian architecture, interpreted for an institutional purpose by an important local architect. Poe School occupies the site of a public school which educated the children of earlier nineteenth century residents when this area south of Lexington Market and this block in particular (bounded by N. Greene, N. Paca, W. Fayette and W. Lexington) were undergoing extensive, mixed residential and commercial development. Poe school represents a continuing of this tradition; long a public school serving its heterogeneous neighborhood, it can serve the future needs of a growing urban University if that institution follows a sensitive adaptive reuse plan.


FOOTNOTES POE SCHOOL

1. Fifty-Second Annual Report of the Board of Commissioners of the Public Schools to the Mayor and City Council of Baltimore for the Year ending December 31, 1880. Baltimore: King Brothers, city printers, 1881. (See plan and drawing attached.)

- 2. Fifty-First Annual Report of the Board of Commissioners of Public Schools to the Mayor and City Council of Baltimore for the year ending December 31, 1879. Baltimore: King Brothers, city printers, 1880; p. xvi.
- 3. Fifty-Second Report, p. xix.
- 4. Ibid., p. 17.
- 5. Ibid., p. 17.
- 6. Ibid., p. 57.
- 7. Henry F. Withey and Elsie R. Withey, <u>Biographical Dictionary of American Architects</u>. Los Angeles: Hennessey and Ingalls, 1970, p. 164.
- 8. Ibid., op. cit.
- 9. Ibid., op. cit.







a series and the series of the



For School No!

For School No!

For Survey the St

Saitimore City

UMAB Photo

February 1985

End. Corner of 7 Greene St. (left)

and w rayette St. (right)

B-3302

Pae School B-3595

(School No 1)

5 20 W. + ayette St

Baltimore City

UMAB Photo

February 1985

Ent. Fayette St. facade

(South elevation)

note: Cast iron feme Southside

of Fayette St. on Westmenster

Church Site



Pae School B-330-2

(School No. 1)

5 20 west Fayetle St.

Baltimore City

UMAB Photo


February 1985

Ext. view of West Fayetle

Street Side and partial

last side

7



8-2302

Pae School B-3595

(School No. 1)

5 20 W. Frayette St.
Baltimore lity


VMAB Photo

February 1985

Ext. view east elevation

behind east stair towar

4)



Par School 10.1)

520 W Fayette St.

Bactemore lely

VMAB Photo

February 1985

Ent. view of east elevation

looking north

5



B-2302

Pae School (School no. 1) 520 W Fayette St. Baltimore lety UMAB PROTO February 1985

Ext. Greene St. facade (West elevation)

note: Tower of westmens tor church shows at right end



B-2302

Pace School B-3302

(School 710.1)

520 W Fayette SC.

Baltimore City

VMAB Photo

February 1985

Ext. New & Greene St.

facade (West elevation)

p 111 Morth Greene St.)

7



6-2002

Pae School


(School no. 1)

520 w. Fragette St. Baltimore City UMAB Photo

February 1985

Ent. view of 111 m. Greene St. (rayed 1985)

note: north wall of School no. 1



Par School

(School 701)

520 W. Frayette St.


Baltimore lity

VMAB Photo

February 1985

Int. view of Payette St.

entrance from stair (east)



Pac School 5-3595 B-2302

School No. 1)

520 W. Fayette St

Coclimore City

WMAB PRoto

Tebruary 1985

Ant. view of east stair

(C. 1936)

Note: Same Sociation as

view #9, turned 90.

(10)



For School B-3595 B-2302

(School No.1)


520 W tayette St

Ballimore City
UMAB Photo

Frebruary 1985

Interior view of typical
Corridor door 1st iloor





8-202

Poe School B-3595

(School 710:1)

520 W. Fayette Street

Bactimore City


UMAB Photo

Frebruary 1985

Anterior, View of typical

classroom, First floor





Pace School Boson B-2302

School No.1)

S20 W. Fayette Street

Baltimore City

UMAB Photo

February 1985

Laterior. First floor

Corridor looking toward

Morth Stair

#/3



Par School

(School No.1)

520 w. Frayette Street

Baltimore City

UMAB Photo

February 1985

Interior, Detail

Morch stair at

First floor

#114



D-2307

Pace School B. 3595

(School No.1)

520 West Fayette Street

Baltimore City

LMAB Photo

February 1985

Laterior. Detail morth

Stair at third floor

looking at terminal

landing above third

floor bevel

245



Pai School (School no.1) 520 W. fayette St Baltemore lity VMAB Photo February 1985 Interior. Second floor north- south carridor

looking toward north stair



Par School B3595 B-2302

(School Mo.1)

520 u jayette Sheet

Ballimore aly

VMAB Photo

Thebruary 1985

Interior. Second floor

East-west corridor

looking Toward east stain



Pace School B 35-95 B-2302

(School No.1)

520 W Fragette Street


Ballimore City

VINNB Photo

February 1985

Anterior. Detail second

floor carridor door



B-2302

B-2302

Poe School


(School 70.1)

520 w Fayette Street

Baltimore City

UMAB Photo

February 1985 Saterior. Typical second floor classroom looking toward corridor wall #19



6-2302

B-2302

Pal School B-3575

(School Tw.1)

520 W. Fayette Street


Ballimore City

VMAB Photo

February 1985

Interior. Despical Windows

and wain scotting



B-2302

Pae School B-3595

(School No.1)

520 West Frayette St.

Baltemore City

VMAB PRoto


February 1985

Interior. Detail I typical

wainscatting and window

Stool. (Modern aleeminum

window)



4422

grill

Pae School B-35.95

(School no.1)

520 W. Fragette St.

Baltimore lity

UMAB Photo

February 1985

Interior, Letail typical

ventilation shopt and

#5



Poe School B-3595

(School No.1)

520 W Fayette Street #23)

Baltimore City

VMAB Photo


Fabruary 1985

Interior. Third floor routhSouth Corridor and

assembly space losking

Howard north Stair

(#2)



6-2302

For School

For School

(School 70.1)

Ballimone (ity

520 W Fayette St.

UMAB Photo


February 1985

Interior. Third floor corridor

and assembly space

looping west

#20



Poe School 76.1)

520 w. Fayette Street

Baltimore lity

UMAB Photo


February 1985

Interior. Delail third floor

pressed " Tim" cirling in

assembly space

7725



Poe School B-2302

(School 70.1)

520 w Fayette St.

Baltimore City

VMAB Photo

February 1985

Interior. Detail of third

floor pressed "Tin"

Ceiling at wall

A26



Pae School

B-2302

(School 70.1)

520 W Fayette Street

Baltimore City

VMAR Photo

Frebruary 1985

Interior. General view

Joseph framing looking

South from over the

-127



Poe School (Male Primary & Grammar School No. 1); F.E. Davis, archt.

corner Fayette & Greene Sts., Balt. 1880.

southwest elevation.

12/79 E. Coxe MARYLAND HISTORICAL TRUST

B-23022 m AG1#0423025502

INVENTORY FORM FOR STATE HISTORIC SITES SURVEY

NAME	Nole Commune Sales			17 B	
HISTORIC	Male Grammar School	1 #1		. 5	
-	<u> </u>				
AND/OR COMMON	School #1		1		
LOCATION		0 8	- Y	3	
STREET & NUMBER	520 W. Fayett	e Street			
CITY, TOWN	Baltimore	VICINITY OF	CONGRESSIONAL DISTR	ICT_	
STATE Ma	ryland		COUNTY		
CLASSIFIC			S 0		
CATEGORY.	OWNERSHIP	STATUS	PRES	ENT USE	
_DISTRICT					
X BUILDING(S)	¥ PUBLIC	XOCCUPIED	AGRICULTURE	MUSEUM	
52.00 4.00 5.00 5.00 5.00 5.00 5.00 5.00 5	PRIVATE	_UNOCCUPIED	COMMERCIAL	PARK	
STRUCTURE	_BOTH	WORK IN PROGRESS	<u>X</u> EDUCATIONAL	PRIVATE RESIDEN	
SITE	PUBLIC ACQUISITION	ACCESSIBLE	ENTERTAINMENT	_RELIGIOUS	
OBJECT	_IN PROCESS	X YES: RESTRICTED	GOVERNMENT	SCIENTIFIC	
7	BEING CONSIDERED	YES: UNRESTRICTED	INDUSTRIAL	TRANSPORTATIO	
nañ.	=	_NO	MILITARY	OTHER:	
OWNER OF	PROPERTY		* 2 S		
NAME		,			
STREET & NUMBER	· · · · · · · · · · · · · · · · · · ·		Telephone #:		
STREET & HOMBEN		are:		10 20	
CITY, TOWN			STATE , Z	ip code	
		VICINITY OF			
LOCATION	OF LEGAL DESCR	IPTION	Liber #:		
COURTHOUSE.	8 a m		Folio #:		
REGISTRY OF DEEDS,	Records Office	Room 601	TOILO π.	9	
STREET & NUMBER	D 344 024 0		413		
CITY, TOWN	Baltimore City Co	ourthouse	STATE		
Baltimore			Marvland		
REPRESEN	TATION IN EXIST	ING SURVEYS	, , , , , , , , , , , , , , , , , , , 		
TITLE					
	City of Baltimore	Neighborhood Sur	vey		
DATE	1976	FEDERAL	_STATE _COUNTY X_LOCAL		
DEPOSITORY FOR SURVEY RECORDS	COMMISSION FOR LUC	STORIO			
CITY, TOWN	ARCHITECTURAL PRES	DIORICAL &	STATE		
		SERVATION	JIAIL		
1,000	26 South Calvert St				
	Baltimora Mid Oraca				

CONDITION

CHECK ONE

CHECK ONE

__EXCELLENT

__DETERIORATED

X_UNALTERED

X_ORIGINAL SITE

__GOOD

__RUINS
__UNEXPOSED

_ALTERED

_MOVED DATE___

DESCRIBE THE PRESENT AND ORIGINAL (IF KNOWN) PHYSICAL APPEARANCE

The building has facades facing Fayette and Green Streets. The facades are discussed respectively:

The facade is 7 bays wide and $3\frac{1}{2}$ stories high with running bond brick building and stone foundation walls. From the east, the first bay is punctuated by a continuous two story high full arched window. At the first story facade it is flat and double hung with sixover six lights; on the second story it is full arched, double hung with ten over twelve lights. These two windows, which comprise one, are accompanied by a wood sill and full arched brick lintel. The window is housed in a shallow recession. The third story facade of this bay is punctuated by three double hung flat windows with one over one lights, stone sills, and splayed brick lintels. The half story facade is punctuated by a double hung window with sixteen over sixteen lights. A high pitched gable end with a mansard effect surmounts this bay.

The adjacent bay to the left is punctuated at the first story facade by flat double doors and accompanying flat five light transom which surmount two stone steps and a stone stoop.

The door and transom are housed in a marble surround with a flat pediment. The second story facade is punctuated by a double hung flatewindow of six over six lights, stone sills, and splayed brick lintel. The third story facade is punctuated by two flat windows double hung with one over one lights and accompanied by stone sills and splayed brick lets. The remaining four bay facades are punctuated by a flat double hung window of six over six lights with stone sills and half arched brick lintels. The half story facade contiguous with these four bays is a high pitched gable end with a mansard effect punctuated by a quatrapartite half arched casement window with a stone sill and half arched splayed brick lintel.

The Greene Street facade is five bays wide and three stories high with brick building and stone foundation walls and symetrical fenestration. A painted wood cornice supported by brackets spans the facade wall. From the south the first four bays are identical, with each facade of each bay punctuated by two flat windows of six-over-six lights with stone sills and half arched brick lintels.

The first story facade of the northernmost bay is punctuated by two flat wood doors and accompanying flat single light transom that surmount a stone step. The doors and transom are encased in a marble housing that carries the school name. Two flat casement windows of single lights and sharing the same half arched brick lintel and stone sill surmount the door housing. The second and third story facades of this bay are each punctuated by a flat double hung window of six over six lights, stone sill, and half arched brick lintels.

Fenestration is symetrical throughout the building facades.

SPECIFIC DATES		BUILDER/ARCH		
-			14	4 ·
		_INVENTION		_OTHER (SPECIFY)
1900-	COMMUNICATIONS	INDUSTRY	POLITICS/GOVERNMENT	_OTHER (SPECIFY)
X_1800-1899	COMMERCE	_EXPLORATION/SETTLEMENT	PHILOSOPHY	_TRANSPORTATION
1700-1799	ART	ENGINEERING	MUSIC	THEATER
_1600-1699	XARCHITECTURE	EDUCATION	MILITARY	_SOCIAL/HUMANITARIAN
_1500-1599	AGRICULTURE	ECONOMICS	LITERATURE	_SCULPTURE
_1400-1499	_ARCHEOLOGY-HISTORIC	CONSERVATION	_LAW	_SCIENCE
_PREHISTORIC	_ARCHEOLOGY-PREHISTORIC	_COMMUNITY PLANNING	_LANDSCAPE ARCHITECTURE	_RELIGION
PERIOD	AF	REAS OF SIGNIFICANCE CH	IECK AND JUSTIFY BELOW	

STATEMENT OF SIGNIFICANCE

Significant as an example of adaption of Queen Anne style to institutional architecture. One of the best examples of this treatment remaining in the business district.

Possibility of adaptive use.

9 MAJOR BIBLIOGRAPHICAL REFERENCES

CONTINUE O	N SEPARATE SHE	ET IF N	ECESSAR	Υ .	*		
1000 P	HICAL DATA			I.			_
	*						
3						*	E (125
VERBAL BOUN	DARY DESCRIPTION						
						50	
			8601		9		
	940						
						w	
LISTAL	STATES AND COUNTIES	FOR BROD	EDTIES OVER	N A DRIMC G	FATE OR COUNT		
LISTALL	STATES AND COUNTIES	FOR PROP	ERTIES OVER	CLAPPING S	IATE OR COUNT	Y BOUNDARIES	
STATE	18		COUN	TY			
STATE			COUN	ΤΥ	*	~	and a second
III FORM PRI	EPARED BY						
NAME / TITLE	Planning Ass	istants					
ORGANIZATION	COMMISSION FO			u u	DATE	1976	
STREET & NUMBER	ARCHITECTURAL Room 900	PRESER	VATION		TELEPHO	NE	
CITY OR TOWN	26 South Calvert				STATE	8	

The Maryland Historic Sites Inventory was officially created by an Act of the Maryland Legislature, to be found in the Annotated Code of Maryland, Article 41, Section 181 KA, 1974 Supplement.

The Survey and Inventory are being prepared for information and record purposes only and do not constitute any infringement of individual property rights.

RETURN TO: Maryland Historical Trust

The Shaw House, 21 State Circle

Annapolis, Maryland 21401

(301) 267-1438

B-2302
Male Grammar School #1
520 W. Fayette Street
Block 0617 Lot 010
Baltimore City





Male Gremmen School #1 NE corner Fayette and Green

Neptrie #2 5/26 P. Susama_

> Block 617

B-2302